

राजस्थान केन्द्रीय विश्वविद्यालय

Central University of Rajasthan NH-8, Bandarsindri, Kishangarh-305817, Ajmer(Raj.)



Date: 19.09.2024

NIT No. CURAJ/R/F.160/2024/1997

Financial Bid

Name of Work: Design, Fabrication & erection of Unipole Board at Central University of Rajasthan, Bandarsindri, Dist. Ajmer, Rajasthan.

S. N	Description	Qty	Unit	Rate	Amount
1	Design, Fabrication & erection of Unipole Board at Central University of Rajasthan, Bandarsindri, Dist. Ajmer, Rajasthan Size of LED display board 20 feet x 10 feet Pole Height: 30 Feet Overall Unipole Height: 40 Feet including excavation in foundation, laying PCC, shuttering to PCC/RCC, reinforcement, filling, mild steel work, welding, bolting, painting to mild steel over a coat of approved primer, printing and pasting of retroreflective signages on both sides on ACP sheet etc. as per directions of the Engineer-in-Charge. Note: Conceptual drawing is attached herewith for references	1	Job		
2	Supplying of following sizes XLPE Insulated & PVC sheathed Aluminum conductor armoured power cable of 1.1 KV grade ISI marked conf. to IS: 7098 (Pt-1) 1988 etc. as required. Make Polycab/finolex/Havells/RR Cabel				
3	3C X 16 Sqmm Aluminium conductor cable Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.	800	Mtr.		
3.1	3C X 16 Sqmm Aluminium conductor cable	800	Mtr.		
4	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable				

	of 1.1 KV grade as required.				
4.1	3C X 16 Sqmm Aluminium conductor cable	2	Each		
5	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following single pole and neutral, sheet steel, MCB distribution board, 240 Volts, on surface/ recess, complete with testing and commissioning etc. as required.				
5.1	For 6 way, Double door SPN MCBDB	1	Each		
6	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
6.1	Single pole	4	Each		
6.2	Single pole and neutral	1	Each		
	Total Rs. (in Figures):				
	Total Rupees (in words):				

Note:

- 1. The Goods and Service Tax, Turnover Tax, Excise Duty, Work Contract Tax, Or any other Tax as applicable shall be paid by the contractor himself. **The bidder shall quote his rates considering all such Taxes.**
- 2. Contractor shall be submitted the structural safety certificate of Unipole for its safe life at least 35 years.

Seal & Signature of Bidder Date:

