



राजस्थान केन्द्रीय विश्वविद्यालय  
Central University of Rajasthan  
NH-8, Bandarsindri, Kishangarh-305817, Ajmer(Raj.)



NIT No. CURAJ/R/F.151/2023/2173

Date: 21.09.2023

**Financial Bid**

**Name of Work: Repair & Maintenance work of Guest House Parking at Central University of Rajasthan, Bandarsindri, Dist. Ajmer, Rajasthan.**

S. N	Description	Qty	Unit	Rate	Amount	DSR Item No.
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:					2.1
1.1	All kinds of soil	714.00	sqm	92.55	66080.70	2.1.1
2	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.					2.6
2.1	All kinds of soil	27.00	cum	205.45	5547.15	2.6.1
3	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earthwith lead upto 50 metres.	714.00	sqm	180.5	128877.00	16.1
4.0	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level					4.1
4.1	1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	71.40	Cum	6326.05	451679.97	4.1.8
5	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer					16.91

	through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge.					
5.1	80 mm thick C.C. paver block of M-30 grade with approved color design and pattern.	714	sqm	1011.2	721996.80	16.91.2
6	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	7.11	cum	8613.55	61242.34	16.69
7	Painting Kerb stone/runway/taxi track/apron marking with adequate nos of coats to give uniform finish with road marking paint of superior make as approved by the Engineer-in-charge, i/c cleaning the surface of ail dirt, scales, oil, grease and other foreign material etc. and lining out complete.					16.47
7.1	New work (Two or more coats)	47.40	sqm	158.5	7512.90	16.47.1
8	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :					19.6
8.1	300 mm dia. R.C.C. pipe	100	metre	902.05	90205.00	19.6.4
9	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:					6.1
9.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	21.87	cum	6658.25	145615.93	6.1.2
10	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :					19.21
10.1	For pipes 250 to 300 mm diameter	5	each	785.9	3929.50	19.21.2

11	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :					19.27
11.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	5	each	5589.45	27947.25	19.27.1
12	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand).					11.20
12.1	Light shade pigment using white cement	20	Sqm	1233.05	24661.00	11.20.1
	Total Amount			Rs.	1735295.54	
	Add Ajmer cost Index @ 1.08%			Rs.	18741.19	
	Sub Total			Rs.	1754036.73	
	Add GST @ 6.33%			Rs.	111030.52	
	G.Total Amount			Rs.	1865067.25	
	Amount quoted in percentage, over/above/at par					

*Note: The Goods and Service Tax, Turnover Tax, Excise Duty, Work Contract Tax, Or any other Tax as applicable shall be paid by the contractor himself. **The bidder shall quote his rates considering all such Taxes.***

Seal & Signature of Bidder  
Date: